




ROLLED MONOLITHIC SIDEWALK





AND COMMERCIAL CROSSING LANE



- I. All dimensions shown are in millimetres unless otherwise noted.
- 2. Contraction joints (50mm depth) shall be formed at 3m spacing (minimum).
- 3. Surface joints (I5mm depth) shall be constructed on sidewalk halfway between contraction joints and I50mm back from face of curb.
- 4. Expansion joints shall be constructed as required in specifications.
- 5. Wire mesh and longitudinal boxes to extend through all surface joints and end 50mm from expansion joints or contraction joints.
- 6. A temporary fillet of asphalt stabilized base course material is to be placed along the gutter whenever asphalt concrete pavement is to be placed in the future.
- Sidewalk width as specified (min. I.5m max. 3.0m)

| 3 | GUTTER REVISED TO 25mm | BG | 19Sep2011 |
|-----|--|----|-----------|
| A | No.IOM BARS REVISED TO No.IO REBAR | ВК | 05/92 |
| | Add Note 6; Add Temp. Fillet & Tack Coat | ВК | 05/92 |
| No. | REVISIONS | BY | DATE |

Approved:

ORIGINAL SIGNED BY PETER TAJCNER

Director, Design Engineering Branch

JULY 23, 1991 Date:



ROLLED MONOLITHIC CONCRETE SIDEWALK, CURB AND GUTTER (500mm GUTTER)

| Prepared | Checked | Scale: | Dwg No.: | |
|----------|---------|--------|----------|------------|
| By: Cgk | Ву: ВК | N.T.S. | | CB6-4.2M90 |