


- NOTES:
- LAP GUARDRAIL SECTIONS IN THE DIRECTION OF TRAFFIC FLOW.
 - ALL FITTINGS AND HARDWARE SHALL BE GALVANIZED.
 - LINE AND ELEVATION OF BARRIER SHALL BE SET BY INSTRUMENT.
 - ACP OR GRANULAR BASE COURSE MAY BE PROVIDED AROUND GUARDRAIL POSTS AS PER SITE SPECIFIC REQUIREMENTS.
 - THIS TRANSITION MAY BE CONSIDERED TO SATISFY NCHRP REPORT 350 REQUIREMENTS FOR TEST LEVEL 4 (TL4)
 - TRANSITION ZONE CAN BE WOOD OR STEEL POST WITH WOOD SPACER BLOCK. REFER TO STANDARD DRAWING TEB 3.01 FOR POST DETAILS.
 - TYPICAL STRONG POST SYSTEM CAN BE WOOD, STEEL, OR PLASTIC POST WITH WOOD SPACER BLOCK. REFER TO STANDARD DRAWING TEB 3.01 FOR POST DETAILS.



2			
1	NOTE 6 AND 7 ADDED. POST REMOVED FROM PLAN AND ELEVATION	HC	11 MAR 2016
No.	REVISIONS	BY	DATE

Approved:

Allan Kwan
Executive Director,
Technical Standards Branch

Date: NOVEMBER, 2007

Alberta
INFRASTRUCTURE AND
TRANSPORTATION

TRANSITION OF TL-4
SINGLE SLOPE CONCRETE BARRIER
TO W-BEAM MEDIAN GUARDRAIL
SHEET 1 OF 2

Prepared By: MO Checked By: WS Scale: N.T.S. Dwg No.: RDG-B6.12

ALL DIMENSIONS ARE IN MILLIMETRES UNLESS OTHERWISE INDICATED.